

Modern styling, feature-rich cordless phone, small footprint;  
Perfect for today's modern hotel rooms





Matte Black



Silver/Black



Gunmetal/Black

**NG-S3411** 1-Line SIP Next Gen Cordless Hotel Telephone

**NG-S3411W** 1-Line SIP Next Gen Wi-Fi Enabled Cordless Hotel Telephone

**NG-C3411HC** (NG-C5101+C5012)

1-Line Cordless Accessory Handset and Charger

## KEY FEATURES

- Very small footprint - 4.3" x 5.7" x 7.2" (10.9cm x 14.6cm x 18.2cm)
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- Chemically resistant to alcohol cleaning and treatment
- Customisable handset rear section for colour or hotel branding opportunities
- Fully customisable faceplate for hotel branding and dialing instructions
- Pair up to 5 accessory handsets
- Power over Ethernet (PoE): telephone features work without needing to plug into DC power
- Advanced SIP configuration tool for easy mass deployment and phone monitoring




## PHONE FEATURES

- GigE RJ45 switched computer port provides HSIA for guest computer
- Two feature keys: Mute and Hold
- Two fixed, programmable speed dials on base
- 2, 4, 6, or 10 programmable speed dials on base
- Three fixed, programmable speed dials on handset
- One fixed, programmable message retrieval speed dial on handset
- Dial pad on base
- Large, bright visual message waiting indicator alerts guests of new messages
- Compatible with all major PABXs
- Hearing aid compatible (HAC)
- Multi-step volume control for ringer, handset, and speakerphone
- Selectable ring tones
- Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances, including lead, mercury, and cadmium

## CORDLESS FEATURES

- Adjustable RF transmission power prevents interference
- Built-in speakerphone on both base and cordless handset
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Expandable cordless system: up to a total of 5 cordless handsets
- Calls are digitized and encrypted, making eavesdropping nearly impossible
- Backlit handset dial pad
- Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- DECT technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Register additional handsets quickly and easily

## SPEED DIAL LAYOUTS



## SPECIFICATIONS

- Colours: Silver/Black, Gunmetal/Black, Matte Black, and Pearl/Black
- Radio Frequency Baseband: Available in DECT 1.7 GHz, DECT 1.8GHz
- Compatible with all major PABXs
- Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261
- Base Power Source: PoE (DC power adaptor sold separately)
- Handset Power Source: DC power
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

## CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA



Pearl/Black

| <b>CORDS &amp; ACCESSORIES</b>       | NG-S3411            | NG-S3411W           | NG-C3411HC |
|--------------------------------------|---------------------|---------------------|------------|
| Standard LAN Cable w/RJ45 Connectors | 6'6" (2 meters)     | 6'6" (2 meters)     | —          |
| Short LAN Cable w/RJ45 Connectors    | 0.4' (0.125 meters) | 0.4' (0.125 meters) | —          |
| Wall Mount for Base                  | Included            | Included            | —          |
| Power Adapter                        | —                   | Included            | Included   |
| Handset Battery                      | Included            | Included            | Included   |

**DIMENSIONS**

| Phone Measurements        | INCHES             | CENTIMETERS              | WEIGHT         |
|---------------------------|--------------------|--------------------------|----------------|
| NG-S3411 (Desk Mounted)   | 4.3" x 5.7" x 7.2" | 10.9cm x 14.6cm x 18.2cm | 1.75lbs (796g) |
| NG-S3411 (Wall Mounted)   | 4.3" x 2.2" x 8.5" | 10.9cm x 5.6cm x 21.6cm  |                |
| NG-S3411W (Desk Mounted)  | 4.3" x 5.7" x 7.2" | 10.9cm x 14.6cm x 18.2cm | 1.75lbs (796g) |
| NG-S3411W (Wall Mounted)  | 4.3" x 2.2" x 8.5" | 10.9cm x 5.6cm x 21.6cm  |                |
| NG-C3411HC (Desk Mounted) | 2.1" x 2.2" x 8.5" | 5.3cm x 5.6cm x 21.6cm   | 0.76lbs (344g) |
| NG-C5101 (Handset)        | 1.9" x 0.8" x 8"   | 4.8cm x 2.1cm x 20.3cm   | 0.32lbs (145g) |
| C5102 (Charger)           | 2.1" x 4.8" x 5.2" | 5.3cm x 12.1cm x 13.3cm  | 0.16lbs (72g)  |

| Carton Measurements           |                      |                          |                    |
|-------------------------------|----------------------|--------------------------|--------------------|
| NG-S3411 (12 pcs per carton)  | 22.8" x 20.4" x 9.4" | 58cm x 51.8cm x 23.8cm   | 26.74lbs (12.13kg) |
| NG-S3411W (12 pcs per carton) | 22.8" x 20.4" x 9.4" | 58cm x 51.8cm x 23.8cm   | 26.74lbs (12.13kg) |
| NG-C5101 (24 pcs per carton)  | 13.9" x 8.5" x 9.3"  | 35.4cm x 21.6cm x 23.7cm | 10.49lbs (4.76kg)  |
| C5102 (12 pcs per carton)     | 15.2" x 9.5" x 6"    | 38.6cm x 24.2cm x 15.3cm | 7.76lbs (3.52kg)   |

\* Some features may be revised subject to final design of hardware and software platform. All weights above have included the weights of cords and accessories.